

**SAFETY DATA SHEET****SECTION 1****PRODUCT AND COMPANY IDENTIFICATION****PRODUCT****Product Name:** Nature's Choice! Dirty Dog Conditioner**Product Part #**KE2026**Product Description:** Hair Conditioner**Intended Use:** HAIR CARE**COMPANY IDENTIFICATION****Supplier:** Kim Laube & Company Inc.

PO BOX 21259

Oxnard, CA 93034

805-240-1300

24 Hour Health Emergency (800) 222-1222**Transportation Emergency Phone** (805) 240-1300**Product Technical Information** (805) 240-1300**Supplier General Contact** (805) 240-1300**SECTION 2****COMPOSITION / INFORMATION ON INGREDIENTS**

Name	CAS #
Allantoin	97-59-6
Aloe Barbadensis Leaf Juice	8001-97-6
Behentrimonium Chloride	17301-53-0
Behentrimonium Methosulfate	81646-13-1
Butylene Glycol	107-88-0
Cetearyl Alcohol	67762-27-0
Cetrimonium Chloride	112-02-7
Cetyl Alcohol	36653-82-4
Cetyl Esters	17661-50-6
Colloidal Oatmeal	134134-86-4
FD& C Blue #1 CI 42090	3844-45-9
Fragrance	None
Glycerin	56-81-5
Octyl methoxycinnamate	5466-77-3
Panthenol	81-13-0
Persea Gratissima oil	8024-32-6
Phenoxyethanol	122-99-6
Propyl Paraben	94-13-3
Propylene Glycol	57-55-6
Stearalkonium Chloride	122-19-0
Stearamidopropyl Dimethylamine	7651-02-7
Tetrasodium Edta	64-02-8
Tocopheryl Acetate	58-95-7
Urtica Dioica	84012-40-8
Vitamin A Acetate	127-47-9

7732-18-5

Name

CAS

77-92-9

53026-58-7

50-21-5

1310-58-3

HAZARDS IDENTIFICATION

POTENTIAL PHYSICAL / CHEMICAL EFFECTS

POTENTIAL HEALTH EFFECTS

NFPA Hazard ID:

Health: 0

Flammability: 0

Reactivity: 0

HMIS Hazard ID:

Health: 0

Flammability: 0

Reactivity: 0

FIRST AID MEASURES

In case of adverse exposure to vapors formed at elevated temperatures, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped.

Wash contact areas with soap and water. For hot product: Immediately immerse in or flush affected area with large amounts of cold water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention.

Flush thoroughly with water. If irritation occurs, get medical assistance.

First aid is normally not required. Seek medical attention if discomfort occurs. No adverse effects due to ingestion are expected.

FIRE FIGHTING MEASURES

Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

June 15, 2015



Fire Fighting Instructions: Assure an extended cooling down period to prevent re-ignition. Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire-exposed surfaces and to protect personnel.

Hazardous Combustion Products: Smoke, Fume, Incomplete combustion products, Oxides of carbon, Flammable hydrocarbons

FLAMMABILITY PROPERTIES

Flash Point [Method]: Tag Closed Cup >200°C

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Auto ignition Temperature: N/A

SECTION 6

ACCIDENTAL RELEASE MEASURES

NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment, which exceed the applicable reportable quantity or oil spills that could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800) 424-8802.

PROTECTIVE MEASURES

See Section 5 for fire fighting information. See the Hazard Identification Section for Significant Hazards. See Section 4 for First Aid Advice. See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.

SPILL MANAGEMENT

Land Spill: Spilled product in large quantities presents a slipping hazard on hard surfaces.

Water Spill: Stop leak if you can do it without risk. Confine the spill immediately with booms. Warn other shipping.

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

ENVIRONMENTAL PRECAUTIONS

Prevent entry into waterways, sewers, basements or confined areas.

SECTION 7

HANDLING AND STORAGE

HANDLING

Avoid vapors from heated materials to prevent exposure to potentially irritating fumes. Provide adequate ventilation if fumes or vapors are generated. Prevent small spills and leakage to avoid slip hazard. Care should be taken when storing and handling this product. Apart from the specific nature of the polymer product, conditions such as humidity, sunlight, and temperature have an influence on the way the product behaves



during storage and handling.

Loading/Unloading Temperature: Ambient

Transport Temperature: Ambient

Transport Pressure: Ambient

Static Accumulator: This material is not a static accumulator.

STORAGE

Store in a cool, dry place. Do not store in open or unlabelled containers.

Storage Temperature: Ambient

Storage Pressure: Ambient

Suitable Containers/Packing: Bottle, Bucket or drum

Suitable Materials and Coatings (Chemical Compatibility): Polyethylene, PVC, PETE

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

Exposure limits/standards (Note: Exposure limits are not additive)

Source	Form	Limit / Standard			NOTE	Source

Exposure limits/standards for materials that can be formed when handling this product: For dusty conditions, OSHA recommends for particulates not otherwise regulated an 8-hour TWA of 15 mg/m³ (total dust), 5 mg/m³ (respirable fraction); ACGIH recommends for insoluble and poorly soluble particles not otherwise specified an 8-hour TWA of 10 mg/m³ (inhalable particles), 3 mg/m³ (respirable particles).

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

ENGINEERING CONTROLS

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:

Adequate ventilation should be provided so that exposure limits are not exceeded. SPECIAL

PRECAUTIONS: Processors of this product should assure that adequate ventilation or other controls are used to control exposure.

PERSONAL PROTECTION

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.



Respiratory Protection: No special requirements under ordinary conditions of use and with adequate ventilation.

Hand Protection: Wear disposable gloves. The types of gloves to be considered for this material include: Latex, Nitrile, PVC or natural rubber. Consult with glove manufacture for testing data.

Eye Protection: If contact is likely, safety glasses with side shields are recommended.

Skin and Body Protection: Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include:

Specific Hygiene Measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

ENVIRONMENTAL CONTROLS

See Sections 6, 7, 12, 13.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Typical physical and chemical properties are given below. Consult the Supplier in Section 1 for additional data.

GENERAL INFORMATION

Physical State: PASTE

Form: VISCOUS

Color: LIGHT BLUE

Odor: HERBAL

Odor Threshold: N/D

IMPORTANT HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION

Relative Density (at 20°C): 1.022 – 1.04

Density: 1.022 – 1.04

Flash Point [Method]: TAG CLOSED CUP >200°C

Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D

Auto ignition Temperature: N/A

Boiling Point / Range: >100°C

Vapor Density (Air = 1): N/A

Vapor Pressure: N/A

Evaporation Rate (n-butyl acetate = 1): N/A

pH: 6.0 – 7.0

Solubility in Water: Completely Soluble

Viscosity: 8,000 – 10,000 cps

Oxidizing Properties: N/A

OTHER INFORMATION

Freezing Point: N/D

Melting Point: N/D

Hygroscopic: NO

**SECTION 10 STABILITY AND REACTIVITY**

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID: Avoid elevated temperatures for prolonged periods of time

MATERIALS TO AVOID: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Material does not decompose at ambient temperatures.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION**ACUTE TOXICITY**

<u>Route of Exposure</u>	<u>Conclusion / Remarks</u>
Inhalation	
Toxicity: Data available.	Not Toxic. Based on data for ingredients.
Irritation: Data available.	Negligible hazard at ambient/normal handling temperatures. Based on data for ingredients.
Ingestion	
Toxicity: Data available.	Not Toxic. Based on data for ingredients.
Skin	
Toxicity: Data available.	Not Toxic. Based on data for ingredients.
Irritation: Data available.	Negligible irritation to skin at ambient temperatures. Based on data for ingredients.
Eye	
Irritation: Data available.	May cause mild, short-lasting discomfort to eyes Based on data for ingredients.

CHRONIC/OTHER EFFECTS**For the product itself:**

Elevated temperatures or mechanical action of large volumes may form vapors, mists or fumes, which may be irritating to the eyes and respiratory tract.

The following ingredients are cited on the lists below:

Chemical Name	CAS Number	List Citations
N/A		

SECTION 12 ECOLOGICAL INFORMATION

The information given is based on data available for the material, the components of the material, and similar materials.

ECOTOXICITY

Material -- Not expected to be harmful to aquatic organisms.

**MOBILITY**

Material – Completely soluble in water.

PERSISTENCE AND DEGRADABILITY**Biodegradation:**

Material – Not expected to be persistent.

SECTION 13**DISPOSAL CONSIDERATIONS**

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

DISPOSAL RECOMMENDATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations, in accordance with applicable regulations and material characteristics at the time of disposal. Containers may be recycled.

REGULATORY DISPOSAL INFORMATION

RCRA Information: The unused product, in our opinion, is not specifically listed by the EPA as a hazardous waste (40 CFR, Part 261D), nor is it formulated to contain materials, which are listed as hazardous wastes. It does not exhibit the hazardous characteristics of ignitability, corrosive or reactivity and is not formulated with contaminants as determined by the Toxicity Characteristic Leaching Procedure (TCLP). However, used product may be regulated.

SECTION 14**TRANSPORT INFORMATION**

LAND (DOT): Not Regulated for Land Transport

LAND (TDG): Not Regulated for Land Transport

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code

AIR (IATA): Not Regulated for Air Transport

SECTION 15**REGULATORY INFORMATION**

EU DPD (Dangerous Products Directive) Classification (DPD 88/379/EEC). Regulated as a Cosmetic and/or Drug under FDA (US), HPB (Canada), Cosmetic Directive (EU), MHW (Japan) and MOH (China). While the finished product(s) is not considered hazardous as defined in 29 CFR 1910.1200 (d), this SDS contains valuable information critical to the safe handling and proper use of the product.

US Federal

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).



CERCLA reportable quantity (RQ): None.

SARA 313/302/304/311/312 chemicals: None.

Canada

All ingredients are CEPA approved for import to Canada. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this SDS contains all information required by the CPR.

US States

CA Prop 65:

This product is not subject to warning labeling under California Proposition 65.

The following ingredients are cited on the lists below:

Chemical Name	CAS Number	List Citations
N/A		

Other

Perfumes contained within the products covered by this SDS comply with appropriate IFRA guidance.

SECTION 16	OTHER INFORMATION
------------	-------------------

N/D = Not determined, N/A = Not applicable

The information and recommendations contained herein are, to the best of Kim Laube & Company Incorporated's knowledge and belief, accurate and reliable as of the date issued. You may Kim Laube & Company Inc., to insure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use